



KEF Ci Cabinet Volume Table

Architectural Speaker

KEF Ci Models	Reasonable LF Response Minimum Cabinet Volume			Ideal LF Response Minimum Cabinet Volume		
	Litre	Cubic Feet	Cubic Metre	Litre	Cubic Feet	Cubic Metre
Extreme Home Theatre						
Ci5160REFM-THX ⁺ Ci5160RL-THX	40	1.41	0.040	90	3.18	0.090
Ci3160REFM-THX ⁺ Ci3160RL-THX	30	1.06	0.030	60	2.12	0.060
Ci250RRM-THX	80	2.83	0.080	150	5.30	0.150
Ci200RR-THX Ci200RS-THX	23	0.81	0.023	45	1.59	0.045
Ci160RR-THX	6	0.21	0.006	12.5	0.44	0.0125
Ci4100QL-THX	17.5	0.62	0.0175	29.5	1.04	0.0295
Ci - T Series						
Ci160TR Ci160TS	1.7	0.06	0.0017	3.5	0.12	0.0035
Ci - Q Series						
Ci130QR Ci130QS Ci130QRfl Ci130QSfl	7	0.25	0.007	13.5	0.48	0.0135
Ci160QR Ci160QS Ci160QL	13	0.46	0.013	25.5	0.9	0.0255
Ci200QR Ci200QS Ci200QL	36	1.27	0.036	66	2.33	0.066
Ci - C Series						
Ci130.2CR Ci130.2CS	5	0.18	0.005	10	0.35	0.01
Ci160.2CR Ci160.2CS Ci160.2CL	9.5	0.34	0.0095	18	0.64	0.018
Ci200.2CR Ci200.2CS	17	0.6	0.017	32	1.13	0.032
Ci - E Series						
Ci130ER	4	0.14	0.004	8.5	0.3	0.0085
Ci160ER Ci160ES	22	0.78	0.022	11.5	0.41	0.0115
Ci200ER	18	0.64	0.018	32	1.13	0.032
Soundlight						
Ci50R	0.5	0.02	0.0005	3	0.11	0.003
Ci100.2QR*	0.5	0.02	0.0005	1	0.04	0.001
Ci100QS	3	0.11	0.003	1.5	0.05	0.0015
Dual Stereo						
Ci160CRds Ci160CSds	9.5	0.34	0.0095	18	0.64	0.018
Ci Subwoofers						
Ci3160RLb-THX	40	1.41	0.040	80	2.83	0.080
Ci250RRb-THX	70	2.47	0.070	140	4.94	0.140
Ci200Qsb-THX**	8	0.28	0.008	16.5	0.58	0.0165
Ci200TRb-THX	40	1.41	0.040	72	2.54	0.072

* For optimised performance THX recommends using the Ci3160REFM-THX/ Ci5160REFM-THX without grille or fabric grille.

** 0.75L is the volume of back can of Ci100.2QR. To achieve ideal volume, back can needs to be removed.

** Figures for single unit only. Double the figure for application in pair.

THX and the THX logo are the property of THX Ltd., registered in the U.S. and other countries.
KEF reserves the right, in line with continuing research and development, to amend or change specifications. E&OE.